

01 FEB 2005

PCT/GB2003/003363

GB03/03363



INVESTOR IN PEOPLE



The Patent Office
 Concept House
 Cardiff Road
 Newport

South Wales
 NP10 8QQ

08 SEP 2003

WIPO

PCT

**PRIORITY
 DOCUMENT**
 SUBMITTED OR TRANSMITTED IN
 COMPLIANCE WITH RULE 17.1(a) OR (b)


I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that the attached copy of the request for grant of a Patent (Form 1/77) bears an amendment, effected by this office, following a request by the applicant and agreed to by the Comptroller-General.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.




Signed

Stephen Hordley

Dated

29 August 2003

BEST AVAILABLE COPY



77/00577712 AUG 02 E739904-1 C6829
P01/7700 0.00-0218529.6
1777

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference

TGH/02/008

2. Patent application number

(The Patent Office will fill in this part)

0218529.6

09 AUG 2002

3. Full name, address and postcode of the or of each applicant (underline all surnames)

LIGHTHOUSE DISPLAY INTERNATIONAL
LIMITED

THE THUNDERBAY WORKS
CROSSGATE DRIVE
NOTTINGHAM
NG2 1LQ
ENGLAND

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

07936768009

4. Title of the invention

DISPLAY DEVICE AND BLANK THEREFOR

5. Name of your agent (if you have one)

GRAHAM HULSE
HULSEMARQUE
157 SANDYGATE ROAD
SHEFFIELD.
S10 5SA
ADP No 08536237001

GRAHAM HULSE
HULSEMARQUE
66 PEVERIL ROAD
SHEFFIELD
S11 7AR

08029928001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

YES

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77


9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form —

Description 7

Claim(s) —

Abstract —

Drawing(s) 2+2 

10. If you are also filing any of the following, state how many against each item.

Priority documents —

Translations of priority documents —

Statement of inventorship and right to grant of a patent (Patents Form 7/77) —


Request for preliminary examination and search (Patents Form 9/77) —

Request for substantive examination (Patents Form 10/77) —

Any other documents (please specify) —

11. I/We request the grant of a patent on the basis of this application.

Signature



Date 8 AUG 2002

12. Name and daytime telephone number of person to contact in the United Kingdom

GRAHAM HULSE

0114 225 2993

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

DISPLAY DEVICE AND BLANK THEREFOR

FIELD OF THE INVENTION

This invention relates to display devices and blanks for the same of a type similar to those known as strip merchandisers. Strip merchandisers, also known as clip-strips, generally comprise an elongate strip having means thereon to carry multiples of product which can be suspended on or from a shelf or other retail display device.

BACKGROUND OF THE INVENTION

Strip merchandisers are widely used throughout the retail trade to take advantage of cross-selling opportunities between products and to create impulse purchases without using valuable shelf space. They are also useful to display a plurality of discrete articles in a prominent manner using the least amount of available display area.

Examples of such strip merchandisers are described in US Patents US 4,483,502 & US 4,546,943.

As can be seen in the art, strip merchandisers are provided with a plurality of longitudinally spaced hooks upon which product may be hung. Many items are sold in packaging having a convenient tab in which a suitable hole or slot can be made enabling the products to be readily displayed on a strip merchandiser. Unfortunately this is not always possible or convenient, either the packaging size or shape does not easily take a punched hole or slot, as in cosmetics sachets for example, or the product does not usually have any additional packaging, as in a paperback book. It is possible to attach tabs having slots therein to each item. Tabs of this type are described in many Patent publications including WO00/26109; US5,542,634; US5,020,761; and US4,890,809 but these can have their own

disadvantages. The adhesive on the tab may not always attach or remain attached to the product. For example the package may be a sachet which has been sealed by heat sealing or the like so that the edges of the sachet are no longer flat and do not readily adhere to the tab. In other cases, the adhesive may damage the product, for example the cover of a book. It will also be apparent to one skilled in the art that these tabs invariably are applied manually and the expense through added labour and material costs is not attractive. The current requirement from many retailers is for products to be delivered by the manufactures/wholesalers already attached to a strip merchandiser. If product is damage or detached from a strip then there is every chance that the whole strip or event the batch may be rejected.

It is one object of the present invention to provide a display device akin to a strip merchandiser whereby the disadvantages described above may be overcome.

SUMMARY OF THE INVENTION

According to one aspect of the present invention a display device comprises an elongate strip of sheet material having a plurality of product carrying pockets each pocket being provided with a pair of laterally spaced front sections in a plane substantially parallel to the plane of an adjacent rear section of the elongate strip, each front section being attached to said rear section of the elongate strip, at or adjacent an upper edge thereof, by means of an upper bridge portion, a further attachment between a further section of the elongate strip and the front portions is provided by at least one lower bridge intermediate the front portions and which is attached thereto at or adjacent the lower edges thereof and the pockets being arranged one above another so that the front sections of an upper pocket are

in integral and coplanar attachment with the rear sections of a pocket immediately below.

It will be seen that products may be held in the space defined by at least the front and rear sections and the at least one lower bridge portion. For additional security and to prevent accidental removal of products from the pockets one or both of the front portions, may be provided with detent means to firmly engage the product when located in the pocket. Such detent means is preferably provided in both front portions and may each comprise a tab adapted to abut either side of the products. The tab is preferably integral with the front portion.

The upper and lower bridge portions are preferably integral with respective areas of the front and rear sections and may provided by part of the respective section thereof or in one embodiment are provided by such parts which extend therebetween substantially at right angles to the substantially parallel planes, which parts being defined by fold-lines adapted to allow the bridge portions to remain substantially at rights angle to the parallel planes at least during use.

The display device may be provided with any convenient number of pockets which may be arranged continuously in stepped arrangement as described above. For convenience the display device is preferably provided with means to enable the loaded display device to be folded at least once along its length so that the loaded display device may be conveniently packed in a suitable carton or other container for shipment. In one embodiment the stepped arrangement is interrupted by an intermediate flat section of elongate strip which flat section carries means to facilitate a fold. Such means to facilitate the fold may be provided by a score-line, perforations or any other convenient means. Where perforations are provided that strip may also be readily split so as to produce a series of shorter strips, which may suit a particular retailer or to remove a section of display device from which all the product has been purchased.

Preferably the display device is provided at its head with means to attach the display device to other display apparatus. Such means may be provided by a hole or slot or self-adhesive tape or by any other convenient means. Where the display device is capable of being split, further attachment means may be provided below the perforations in the intermediate flat section.

It is a particular advantage of the present invention that the display device may be manufactured from a single sheet of material which sheet is provided with a series of cuts and fold lines which form the various sections and portions of the pockets.

According to another aspect of the present invention a blank for a display device of the type having a plurality of product carrying pockets comprises an elongate sheet of suitable material having a pair of substantially parallel spaced lines of longitudinal cuts running substantially centrally along at least one section of the sheet material, a second pair of substantially parallel spaced lines of longitudinal cuts running one each intermediate the first pair of lines and a respective edge of the sheet, adjacent cuts in the first and second lines being joined by a connecting cut between the leading end of a respective cut in the second pair of lines and the trailing end of a respective cut in the first pair of lines so that each area of sheet between each respective pair of cuts in the first pair of lines and a respective nearest portion edge of the sheet defines a front section of a pocket, each area of sheet between each respective pair of cuts in the second pair of lines and a respective nearest portion edge of the sheet defines an upper bridge portion, a first region of each area of sheet between each pair of cuts in the first pair of lines adjacent and extending laterally from the respective connecting cuts defines a rear section of the pocket, and a second remaining region of each area of sheet between each pair of cuts in the first pair of lines defines a lower bridge portion.

Preferably a number of transverse fold lines, which may be score-lines or perforated or provided by any convenient means are provided at each end of each bridge portion to facilitate folding of the blank to form the pockets.

Each are defining a front portion may be provided with a cut defining a tab which may be folded to secure product when held in a pocket.

Each cut defining the tab may be any convenient shape such as a 'c' shape and may be provided with an appropriate fold line.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a perspective of a length of display device in accordance with a the present invention;

Figure 2 is a side elevation of a section of the display device of Figure 1;

Figure 3 is a perspective of a length of display device showing detent means and product; and

Figure 4 is a plan of a length of display device in a flat condition;

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring first to Figures 1 and 2 a display device 10 comprises an elongate strip 12 of sheet material having a plurality of product carrying pockets 14 each pocket 14 being provided with a pair of laterally spaced front sections 16, 18 in a plane substantially parallel to the plane of an adjacent rear section 20 of the elongate strip 12, each front section 16, 18 being attached to said rear section 20 at its upper edge 22, 24 respectively,

by means of upper bridge portions 26, 28, further attachment between a further section 30 of the rear section 20 and the front sections 16, 18 is provided by a lower bridge portion 32 intermediate the front sections 16, 18 and which is attached adjacent the lower edges 34, 36 thereof. As can be seen in Figure 2 the pockets 14a, 14b, 14c etc., are arranged one above another so that the front sections 16a, 18a of an upper pocket 14a are in integral and coplanar attachment with the rear sections 20a, 30a of the pocket 14b immediately below.

It will be seen in Figures 1 and 2, and, in particular, in Figure 3, that product 38 is held, in this embodiment, in the space defined by the front and rear sections 16, 18, 20, 30 and the lower bridge portion 32. As can be seen further in Figure 3 the display device, for additional security and to prevent accidental removal of products, are provided with tabs 40a, 42a; 40b, 42b; etc. in each front portion to firmly engage the product when located in the pocket.



In Figure 4 a blank 100 for a display device of the type having a plurality of product carrying pockets has an elongate sheet 102 having a pair of substantially parallel spaced lines of longitudinal cuts 104a, 106a; 104b, 106b ; etc. running substantially centrally along at least one section of the sheet material, a second pair of substantially parallel spaced lines of longitudinal cuts 108a, 110a; 108b, 110b; etc. running one each intermediate the first pair of lines and a respective edge 112, 114 of the sheet, adjacent cuts in the first and second lines being joined by a connecting cut 116a, 118a; 116b, 118b ; etc. between the leading end of a respective cut in the second pair of lines and the trailing end of a respective cut in the first pair of lines so that each area of sheet between each respective pair of cuts in the first pair of lines and a respective nearest portion edge of the sheet defines a front section 120a, 122a; 120b, 122b; etc. of a pocket, each area of sheet between each respective pair of cuts in the second pair of lines and a respective nearest portion edge of the sheet

defines an upper bridge portion 124a, 126a; 124b, 126b; etc. a first region of each area of sheet between each pair of cuts in the first pair of lines adjacent and extending laterally from the respective connecting cuts defines a rear section 128a; 128b; etc. of the pocket, and a second remaining region of each area of sheet between each pair of cuts in the first pair of lines defines a lower bridge portion 130a; 130b; etc.

A number of transverse score-lines 132a, 134a, 136a, 138a; 140a, 142a; 132b, 134b, 136b, 138b; 140b, 142b; etc. are provided at each end of each bridge portion 124a, 126a, 130a; etc. to facilitate folding of the blank to form the pockets.

In the embodiment illustrated each area defining a front portion is provided with a 'c' shape cut 144a, 146a; 144b, 146b; etc. defining tabs, having a fold line 148a, 150a; 148b, 150b; etc., which tabs may be folded to secure product when held in a pocket. See Figure 3 for tabs in use.

1/2






FIG. 3




FIG. 4

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.